
WORKING LINE INDEX — MS 149 F. 83v (TERM BOUNDARY: TRINITATIS 5° JAC., *BROOKE VERS OLDFIELD*; SIDE 6 OF 6)

Per-leaf line index (census · revision stratum · eB dispositions · delta log)

Corpus	01_HLS_MS149_Floyd_ff81r-83v
Source	_WORKING_MS149_f83v_LINE_INDEX.md
Integrity	sha256 d9f51edd763f · rendered 2026-07-09
Status	<i>Derived render for review. The markdown source file governs; the modernized layer is never quotable; all readings are provisional pending the commissioned professional transcription (names above all). Canonical apparatus: _PRECISION_PASS_LEDGER.md; method: TRANSCRIPTION_AND_ANALYSIS_METHODOLOGY.md.</i>

HOW TO READ THIS RENDER (CONVENTIONS LEGEND)

strikethrough	struck in the manuscript (source: ~text~)
^{superscript}	scribal interlineation or raised letters (source: ^text^, m^r)
serif (Cambria) span	diplomatic text quoted inline (source: `text`); the type shift marks the source-text voice; conventions inside are rendered too
boxed serif panel	diplomatic transcription block
gray italic [...]	pass-annotation — editorial apparatus, NOT manuscript text
CONFIRM UPGRADE LEAN CONFLICT	delta-log verdict class: green = confirmed/convergent · blue = upgraded/new · amber = lean/open/variant · red = retraction/conflict
[?] / [...] / [...] · « » · · △ ✓ eB X ★	sigla printed verbatim per methodology §6/§9

CONTENTS

BAND BLOCKS (NAT SWEEP: L B1–8 → R B1–8; 1–2 READS/MSG; FLUSH PER BAND-PAIR)	3
L-b1 (nat, y 0–552) — read 2026-07-09 <i>flush 83v-F1</i>	3
R-b1 (nat, y 0–552) — read 2026-07-09 <i>flush 83v-F1</i>	4
L-b2 (nat, y 332–995) — read 2026-07-09 <i>flush 83v-F2</i>	4
R-b2 (nat, y 332–995) — read 2026-07-09 <i>flush 83v-F2</i>	4
L-b3 (nat, y 775–1438) — read 2026-07-09 <i>flush 83v-F3</i>	5
R-b3 (nat, y 775–1438) — read 2026-07-09 <i>flush 83v-F3</i>	5
L-b4 (nat, y 1218–1881) — read 2026-07-09 <i>flush 83v-F4</i>	5
R-b4 (nat, y 1218–1881) — read 2026-07-09 <i>flush 83v-F4</i>	6

L-b5 + R-b5 (nat, y 1661–2324) — read 2026-07-09 <i>flush 83v-F5</i>	6
L-b6 + R-b6 (nat, y 2104–2767) — read 2026-07-09 <i>flush 83v-F6</i>	6
L-b7 + R-b7 (nat, y 2547–3210) — read 2026-07-09 <i>flush 83v-F7</i>	6
L-b8 + R-b8 (nat, y 2990–3543) — read 2026-07-09 <i>flush 83v-F8</i>	6
NAT SWEEP COMPLETE (16/16 TILES, 2026-07-09) — PRE-EB CENSUS + EB QUEUE.....	7
EB PASS + NATIVE RECONCILIATION (2026-07-09).....	7
R_b3_eB (read 2026-07-09 <i>flush 83v-eB1</i>).....	7
R_b2_eB (read 2026-07-09 <i>flush 83v-eB1</i>).....	8
native crop_T (83v top, read 2026-07-09 <i>flush 83v-eB1 — NATIVE RECONCILIATION COMPLETE</i>).....	8
CENSUS — FIRM (POST-EB + CROP_T, 2026-07-09) — 10 LINES.....	8
DELTA LOG — F. 83v (4-PART; BASELINES NOT IDENTICAL HERE — COMPANION FULL ENTRY VS NOTES HEADER-ONLY + ROUND-2 "PLTS[?]" FLAG)	9
LEDGER + ATLAS ROWS (F83v CONTRIBUTIONS)	10
AUDIT ADDENDUM — #25 (2026-07-09; FULL RECORD IN ` _WORKING_MS149_P4C_AUDIT.MD`, TILES `CROPS/HLS_P4_AUDIT/`)	10

Task #24 · opened 2026-07-09 · method: ../TRANSCRIPTION_AND_ANALYSIS_METHODODOLOGY.md §12.1. First-hand paleography only. Diplomatic conventions per methodology §6 ([?] uncertain · ⟨x⟩ expanded · «...» interlineation · ✕ struck · || seam · / virgule · △/△△ · ✓eB · *pass-notes*). **Scope note: the Floyd report ends at 83r — this side opens the NEXT TERM. It is swept (a) to seal the report's boundary + catchword completion, (b) to adjudicate the baselines' 83v entry, (c) to blank-prove the remainder.**

Tiles: crops/hls_p4/crop_hls83v{L,R}_b1..8[eB] — 32 tiles, cut 2026-07-09 with ../_crop_stac_v3.py, correct env FIRST cut (no miscut this side): CROP_OUTDIR=crops/hls_p4 CROP_OVERLAP=0.25 CROP_RENDER=nat,eB CROP_QUALITY=90 CROP_SCALE=0; **L 0.02–0.55 / R 0.45–0.98 — VERSO geometry: gutter RIGHT, OUTER margin LEFT; NO quire numeral expected (the ink numerals 4/5/6 are recto-only); any marginalia expected LEFT.** Seam double-sighting zone 0.45–0.55. Legacy June native to reconcile: crop_T_83v_term_boundary.jpg.

COVERAGE PROOF (2026-07-09, ../_coverage_check.py): ms149_f83v.jpg (W=2400 H=3543) · tiles considered: 32 · covered y: 0–3543 · x extent 48–2352 (0.020–0.980) · NO gaps > 12px within [0, 3543]. **FIXITY:** crops/_FIXITY_SHA256_CROPS.txt refreshed 2026-07-09 — **219 entries, re-verified 219 OK / 0 failed** (187 prior + 32 f83v).

Baselines (△ NOT VERBATIM-IDENTICAL for 83v — quote BOTH separately):

- **Companion** (READING_COMPANION_ff81r-83v.md § f. 83v, "As written"): *"Trinitatis 5° Jac. / Brooke vers Oldfield / It was ordered the [defts?][?] having pleaded not guilty [cannot?][?] afterwards plead the pardon notwithstanding the [Answere?][?] was insufficient And the defts ordered to make a newe*

Answer It being the generall opinion of the Court that not guilty being once pleaded a p[ar]don may not bee pleaded /"

- **Notes** (.../Immunity Notes/HLS_MS149_FLOYD_SECOND_ACCOUNT_TRANSCRIPTION.md § f. 83v, l. 79): "*Trinitatis 5° Jac. / Brooke vers Oldfield — (next term, next case; the Floyd report ends at 83r)*" — header + style only; the round-2 cell (l. 131) separately keeps "*plts[?]* (83v — *immaterial*)" among its still-flagged items.
- **△ BASELINE DIVERGENCE (= q-83v-a)**: the Companion guesses "[defts?][?]" for the party token; the Notes' standing flag is "*plts[?]*" — the two baselines DISAGREE. Strokes decide: **d-initial (ascender) vs p-initial (descender)** is clean discriminating geometry. Note the Companion prints a SECOND instance unflagged ("And the defts ordered to make a newe Answer").

Q-ITEMS:

- **q-83v-a THE PARTY TOKEN (baseline divergence)**: <defts|plts> ×2 instances — ascender-vs-descender geometry first; sense (who re-pleads? who makes the new Answer?) is apparatus, not evidence. GEOMETRY BEFORE PARSE.
- **q-83v-b**: Companion's [cannot?][?] — verify from strokes (c-a-n-n-o-t vs "may not"/"cann" variants).
- **q-83v-c**: Companion's [Answer?][?] — instance #1 flagged, instance #2 ("newe Answer") unflagged — read both.

q-83v-d HEADER]

Trinitatis 5° Jac. / CATCHWORD COMPLETION from 83r's foot Trinitatis (twice-sighted, FIRM) — case/form match check; 5° superscript-o ordinal; regnal cross-check coheres (Trinity 5 Jac. = June 1607).

q-83v-e NAMES (arbitration-grade)] Brooke vers Oldfield TWO party names + the "vers" abbreviation form. Names above all: letterform-by-letterform; any variance vs baselines → user surfacing regardless of confidence.

- **BLANK-VERIFICATION**: the baselines print ONE entry only — the side's remainder below the entry must be blank-proven band-by-band (any further entries = NEW structural finding, census only).
- **Watches**: "ordered" full-vs-syncopated (cf. 83r instance pair) · "Co(ur)t" form · "generall" ll · "p(ar)don" expansion (Companion prints p[ar]don at last instance, full "pardon" at first — read both) · "newe" terminal-e (cf. who/whoe class) · terminal virgules per entry (Jac. /, Oldfield /, pleaded /) · show-through from 83r (heavy text side — expect strong ghosts; tone-discipline).

BAND BLOCKS (NAT SWEEP: L B1–8 → R B1–8; 1–2 READS/MSG; FLUSH PER BAND-PAIR)

L-b1 (nat, y 0–552) — read 2026-07-09 *flush 83v-F1*

Top-LEFT = OUTER margin: deckle corner, **BLANK upper zone — VERSO geometry CONFIRMED (outer edge LEFT); NO quire numeral ✓ (recto-only series holds)**. Entering LOW in the band, right-of-centre toward the seam:

- **83v.1 (header, L half)**: the HUGE entry flourish (same sweeping lead-in class as 83r's foot catchword) + <T>rinitatis ll entering — display module, LARGER than the 83r catchword instance.

R-b1 (nat, y 0–552) — read 2026-07-09 *flush 83v-F1*

Top-RIGHT = GUTTER: binding fold at far right ✓ (verso confirmed); top otherwise blank; pale show-through ghosts mid-band (83r's heavy text — tone-distinct, disciplined out).

83v.1 (header, R half)] ||<Trini>tatis 5° <J>ac<.> "5°" WITH THE SUPERSCRIPT-O ORDINAL ✓; display swash-J "Jac" enters. q-83v-d CATCHWORD COMPLETION CONFIRMED ✓: 83r foot Trinitatis (FIRM) → 83v header Trinitatis 5° Jac. — the junction is orderly; catchword system CLOSES 6/6 sides. Header sits high-centre spanning the seam; re-sight at b2.

L-b2 (nat, y 332–995) — read 2026-07-09 *flush 83v-F2*

83v.1 re-sight] Trinitatis || ✓✓ — the entry flourish DARK + broad vs the word's finer strokes (same lead-in class as 83r's catchword instance; header module LARGER).

83v.2 (L half)] rooke v<ers> || q-83v-e NAMES: "Brooke" display-B + r-o-o-k-e legible clean at nat ✓ (matches both baselines); "v..." (vers) enters at the cut. Case-name line sits indented right-of-centre (case-heading position).

83v.3 (L half)] <J>t was ordered <the ...> || entry line 1 enters: tall-J "Jt" (83r.22 class) with a large lead-in swash-curve (J's own swash-lean, not a separate mark); "was ordered" — "ordered" FULL-lean at nat *flush 83v-F2* overlap re-check.

- Structure: header / case-name line / entry text at full measure; outer (left) margin generously blank; pale 83r show-through throughout (tone-disciplined).

R-b2 (nat, y 332–995) — read 2026-07-09 *flush 83v-F2*

83v.1 re-sight (full)] <Trini>tatis 5° <J>ac. ✓✓ — superscript-o ordinal crisp; "Jac." with POINT ✓; a VIRGULE after "Jac." NOT sighted at nat ⚠ (Companion prints "Jac. /") — watch for eB/re-sights.

83v.2 (R half)] ||
ooke vers Oldfield q-83v-e: "vers" v-e-r-s legible; "Oldfield" O-l-d-f-i-e-l-d letterform-by-letterform: round display-O, l-d ascender pair, f-descender, -ield tail ✓ — BOTH NAMES MATCH both baselines at first sighting (names-rigor: re-sight + eB before FIRM). A virgule after "Oldfield" NOT clearly sighted ⚠ (Companion prints one) — watch.

83v.3 (R half)] ||<or>dered the plt<s|—> having plead= ⚠⚠ q-83v-a FIRST SIGHTING — THE PARTY TOKEN IS P-INITIAL: clear DESCENDER below baseline + l-ascender + t + the abbreviation BAR — the SAME plt graph as 83r's "the plt" instances. GEOMETRY VERDICT: the Notes' "plts[?]" is VINDICATED; the Companion's "[defts?][?]" is REFUTED (no d-ascender-bowl anywhere in the token). Terminal-s open: <plt|plts> dual. Baseline-divergence class → delta log + user surfacing. Line ends plead= — ≠ SPLIT-WORD #1 on the side (completing plead=ed; Companion prints unsplit "pleaded").

L-b3 (nat, y 775–1438) — read 2026-07-09 *flush 83v-F3*

- 83v.3 re-sight (L)]** <J>t was ordered || ✓✓ — *the big lead-in curve IS the J's own swash ✓; "ordered" FULL-lean [eB].*
- 83v.4 (L)]** <plead>ed not guilty <ca...>|| *plead= / ed SPLIT COMPLETION ✓; "not guilty" ✓; the q-83v-b token enters at the cut (spans seam).*
- 83v.5 (L)]** the pardon notwi<thtstanding>|| *"pardon" instance #1 FULL ✓(p-a-r-d-o-n, no expansion mark — matches Companion's full print here).*
- 83v.6 (L)]** was infuffi<ci>ent <A>|| *long-f + ffi cluster ✓("the ...Answer was insufficient" frame).*
- 83v.7 (L)]** to make a newe <A>|| *"newe" WITH terminal e ✓(Companion match; contrast the who/whoe no-e class); display-A of Anfwere #2 entering.*
- 83v.8 (L, partial at foot)]** the gen<er>all opi<nion>|| *entering — re-sight at b4.*

R-b3 (nat, y 775–1438) — read 2026-07-09 *flush 83v-F3*

- 83v.3 re-sight]** ||<or>dered the plt<s|—> having plead= ✓✓ — *P-INITIAL ×2 (q-83v-a geometry verdict holds); the token's tail (flourish-vs-terminal-s) still open — eB. The ≠ holds.*
- 83v.4 (R)]** ||<gui>lty cann<ot> afterwards plead *q-83v-b: the token reads c-a-n-n + bowl + ascender-stroke ending — "cannot"-COMPATIBLE LEAN (the o+t ending needs eB); "afterwards plead" CLEAR ✓(Companion verbatim; "plead" completes on-line, no split). A LONG BAR rides at x-height over the "...afterwards..." zone — the long back-sweeping t-crossbar habit class (cf. 83r Court/Cancelled), words fully legible, NOT strike [anchor-check at eB].*
- 83v.5 (R)]** ||notwithftanding y^e <A>nfwere **△△ TWO FINDINGS: (1) y^e — THE THORN-FORM AGAIN (y + raised e) where the Companion prints "the" — SECOND y^e on the campaign (cf. 83r.20 FIRM), THIRD y^e-vs-the delta overall. (2) q-83v-c: the token reads <A>nfwere — display-A + n-f-w-e-r-e with long-f — the Companion's "[Answer?][?]" flag RESOLVES CONFIRMED. "notwithftanding" full with ft-ligature ✓.**
- 83v.6 (R)]** ||<infuffi>cient <A>nd the de<f>ts ordred **△△ q-83v-a INSTANCE #2 IS A DIFFERENT TOKEN: d-initial-LEAN — d + e + long-descender (f/f) + t + s: defts-like — where instance #1 was p-initial plt<s>. THE LEAF DISTINGUISHES THE TWO INSTANCES: Companion's uniform "defts ×2" and Notes' "plts[?]" are EACH HALF-RIGHT. Sense (defendants plead not guilty; defendants make the new Answer) is apparatus, not evidence — the guard runs both ways; instance #1's p-initial is twice-sighted stroke geometry. Both instances → eB. "ordred" syncopated-LEAN here [eB; cf. the 83r ordered/ordred pair].**
- 83v.7 (R)]** ||<A>nfwere <J>t being *"Anfwere" #2 CLEAR ✓(display-A + long-f; Companion's unflagged instance corroborated); tall-J "Jt" (Companion prints "It").*
- 83v.8 (R, partial at foot)]** ||<op>inion o<f> the <C>o<urt> *entering — re-sight at b4.*

L-b4 (nat, y 1218–1881) — read 2026-07-09 *flush 83v-F4*

Overlap re-sights: 83v.6 was infuffi<ci>ent ✓✓ · 83v.7 to make a newe <A>|| ✓✓ ("newe" +e holds).

- 83v.8 (L)]** the generall opi⟨nion⟩|| **"general" double-II CONFIRMED ✓**; an INK BLOT sits on the g/e zone (letters legible around it) *[[defect census: blot, 83v.8]]*.
- 83v.9 (L)]** that not guilty ⟨...⟩|| ✓clear.
- 83v.10 (L)]** a p⟨ar⟩don may not ⟨bee⟩|| **THE PARDON-PAIR COMPLETES: instance #2 is ABBREVIATED** *p⟨ar⟩don (p + hook/loop expansion mark + don) vs instance #1's FULL "pardon" (83v.5) — AND THE COMPANION TRACKED BOTH CORRECTLY (full print #1, bracketed "p[ar]don" #2) — baseline-accuracy CONVERGENCE (contrast the 83r flattenings).*

- **BELOW 83v.10: BLANK (L half)** — blank-verification opens ✓.

R-b4 (nat, y 1218–1881) — read 2026-07-09 *[[flush 83v-F4]]*

Overlap re-sights: **83v.6** *[(infuffi)cient ⟨A⟩nd the defts ordred ✓✓ — d-initial on the #2 party token HOLDS ×2 (the ordred/ordered mid-e stays dual *[[eB]]* · 83v.7 *[(A)nfwere ⟨J⟩t being ✓✓.**

- 83v.8 (R)]** ||⟨gener⟩all opinion o⟨f⟩ the ⟨C⟩ourt *"of the Court" ✓ (FULL "Court" + the long crossbar sweep — the 83r.5 habit class).*
- 83v.9 (R)]** ||⟨gui⟩lty being once pleaded ✓ *(Companion verbatim; "pleaded" unsplit here).*
- 83v.10 (R)]** ||⟨ma⟩y not bee pleaded/ **THE ENTRY CLOSES: terminal VIRGULE tight to "pleaded" ✓ (Companion match); NO point before it (bare-virgule lean, unlike 83r's ¶1–¶3 compounds).**

- **BELOW: BLANK (R half)** — the entry ENDS at 83v.10 (10 lines: header + case-name + 8); blank zone opens ✓.

L-b5 + R-b5 (nat, y 1661–2324) — read 2026-07-09 *[[flush 83v-F5]]*

BOTH HALVES BLANK ✓ — no ink; pale show-through only (83r's order block mirrored, tone-distinct grey-brown, reversed duct); faint tails of 83v.10's virgule/descenders at the top overlap edge; deckle left / gutter right. *[[Defect census: diagonal paper CREASE, R-b5 lower-left zone.]]*

L-b6 + R-b6 (nat, y 2104–2767) — read 2026-07-09 *[[flush 83v-F6]]*

BOTH HALVES BLANK ✓ — show-through only (83r's reason/coda block mirrored — the reversed display-T ghost visible; tone-disciplined); small crease R-b6 top-left; deckle left / gutter right.

L-b7 + R-b7 (nat, y 2547–3210) — read 2026-07-09 *[[flush 83v-F7]]*

BOTH HALVES BLANK ✓ — show-through only (the reversed ghost of 83r's foot catchword + flourish enters L-b7's upper zone — mirror-position check coheres); deckle left / gutter right.

L-b8 + R-b8 (nat, y 2990–3543) — read 2026-07-09 *[[flush 83v-F8]]*

BOTH HALVES BLANK ✓ to the deckle foot corners — L-b8 carries only the reversed catchword ghost at its top edge; R-b8 clean. **BLANK-VERIFICATION COMPLETE: no ink anywhere below 83v.10 (y ≈ 1700 → 3543, both halves) — the side carries the header + case-name + 8 entry lines and NOTHING else. Any "further entries" hypothesis is dead: the term opens and the leaf (and volume section) stops.**

NAT SWEEP COMPLETE (16/16 TILES, 2026-07-09) — PRE-EB CENSUS + EB QUEUE

PRE-EB CENSUS — 10 lines (diplomatic, seam-joined; △ = open item):

- L1] ⟨T⟩rinitatis 5° ⟨J⟩ac. *header; superscript-o ordinal; △ virgule after "Jac." not sighted (Companion prints one)*
- L2] ⟨B⟩rooke vers Oldfield *NAMES clean at nat ×1–2; △ virgule after "Oldfield" not sighted (Companion prints one); eB seal required (names-rigor)*
- L3] ⟨J⟩t was ordered the plt⟨s|—⟩ having plead^z △△ q-83v-a #1: P-INITIAL ✓✓ (Notes vindicated, Companion refuted); ⟨plt|plts⟩ tail open (eB-83v-1); "ordered" full-lean
- L4] ed not guilty cann⟨ot⟩ afterwards plead △ cannot-ending open (eB-83v-2); long-bar habit instance over the line *[[anchor check]]*
- L5] the pardon notwithstanding y^e ⟨A⟩nfwere △△ y^e #2 of the campaign (eB-83v-3); pardon #1 FULL; Anfwere #1 CONFIRMED (Companion's [?] resolves)
- L6] was insufficient ⟨A⟩nd the defts ordred △△ q-83v-a #2: d-initial-lean defts ×2 — the leaf DISTINGUISHES the instances (eB-83v-4); ⟨ordred|ordered⟩ mid-e dual (eB-83v-5)
- L7] to make a newe ⟨A⟩nfwere ⟨J⟩t being "newe" +e ✓; Anfwere #2 ✓; tall-J "It" ×2 (Companion prints "It")
- L8] the generall opinion o⟨f⟩ the ⟨C⟩ourt *generall II ✓; Court full + crossbar sweep ✓; [[blot on "generall"]]*
- L9] that not guilty being once pleaded ✓ *verbatim*
- L10] a p⟨ar⟩don may not bee pleaded/ *pardon-pair: #2 ABBREVIATED, Companion tracked BOTH correctly (convergence); terminal virgule bare (no point)*

STRUCTURE: header (display, centre-right) / case-name line (indented) / ONE entry ¶ of 8 lines, virgule-closed / rest of side BLANK-PROVEN. ≈ split ×1 (plead^z / ed).

EB QUEUE (1–2 tiles/msg):

1. **R_b3_eB** — eB-83v-1 plt⟨s⟩ tail + eB-83v-4 defts + eB-83v-2 cannot + eB-83v-3 y^e + eB-83v-5 ordred + Anfwere ×2 + long-bar anchor (one tile covers all body items)
2. **R_b2_eB** — q-83v-e NAMES SEAL (Brooke vers Oldfield) + header + Jac./Oldfield virgule checks
3. Then legacy native **crop_T** reconciliation → census FIRM → delta log → close #24.

EB PASS + NATIVE RECONCILIATION (2026-07-09)

R_b3_eB (read 2026-07-09) *[[flush 83v-eB1]]*

- **eB-83v-1 plt** — TAIL = FLOURISH-LEAN (not s): p-descender + l + t + bar crisp at eB; the post-t curl reads flourish class (same graph as 83r's bare "plt" instances). **P-INITIAL SEALED ×3. Standing: plt bare-lean, ⟨plt|plts⟩ disclosed.**
- **eB-83v-4 defts CONFIRMED-LEAN ✓eB:** d-bowl+ascender initial (×3 sightings) + mid long-descender WITH crossbar touch (f, not l) + t + terminal-s curl — **the Companion's unflagged "defts" #2 corroborated. THE LEAF DISTINGUISHES THE INSTANCES: #1 plt vs #2 defts — neither baseline caught**

the asymmetry. *[[Sense-tension (apparatus only, never a correction): "the plt having pleaded not guilty" is procedurally odd — possible scribal slip ON THE LEAF, or a sense not ours to fix. The evidence layer stays as written.]]*

- **eB-83v-2 cann<ot> — cannot-LEAN STABILIZED:** the final ascender = t whose crossbar is the LONG SWEEP riding over "afterwards" (the Court/Cancelled crossbar habit, eB-dark = text-ink class — later-mark killed); the "d-look" at nat was the loop of that sweep. Companion's "[cannot?]" corroborated-lean.
- **eB-83v-3 y^e ✓eB crisp** (2nd sighting) · **eB-83v-5 ordred SYNCOPATED-LEAN ✓eB** (no mid-e; six-graph run) vs L3's full "ordered" — **same-side instance-variation pair #2 (mirrors 83r's ordered/ordred pair)** · **Anfwere ×2 SEALED ✓eB** (display-A + long-f both) · plead^z ✓eB · "Jt" tall-J ✓eB.

R_b2_eB (read 2026-07-09) *[[flush 83v-eB1]]*

Header ✓eB ⟨Trini)tatis 5° ⟨J⟩ac. *superscript-o + swash-J + point crisp; NO VIRGULE after "Jac." ✓eB (clean zone; show-through only) — delta: the Companion's "Jac. /" virgule is NOT on the leaf.*

- **q-83v-e NAMES ✓eB:** "⟨Br⟩ooke" o-o-k-e crisp · "vers" v-e-r-s with terminal s-curl · "Oldfield" O + l-d + f (crossbar ✓) + i-dot + e-l-d — **SEALED at eB.**
- **△ NEW APPARATUS:** after "Oldfield" a **HORIZONTAL FILLER-RULE** extends right from the d (ink-dark at eB) — a case-heading filler stroke, **NOT a virgule** — the Companion's "Oldfield /" virgule is NOT on the leaf (their "/" = their own line-separator apparatus).
- 83v.3 re-sight: plt + bar + plead^z ✓eB.

native crop_T (83v top, read 2026-07-09) *[[flush 83v-eB1 — NATIVE RECONCILIATION COMPLETE]]*

Covers header → 83v.5 full width. **Header ✓ (no virgule after "Jac." ✓✓ — FIRMs with eB) · NAMES third render class: Brooke vers Oldfield SEALED → FIRM (nat + eB + native); the post-Oldfield filler-rule visible ✓✓ · 83v.3 "ordered" #1 FULL at native (mid-e visible) — the full/syncopated pair FIRMs · plt tail = flourish ×3 renders (bare-plt holds) · "cannot" lean ×3 (sweep = crossbar habit ✓✓) · 83v.5 y^e AT NATIVE ✓ — THIRD RENDER CLASS: y^e #2 FIRM-track · "pardon" #1 full ✓✓ · "Anfwere" #1 ✓✓.**

CENSUS — FIRM (POST-EB + CROP_T, 2026-07-09) — 10 LINES

- L1]** ⟨T⟩rinitatis 5° ⟨J⟩ac. *header; superscript-o ordinal; NO virgule after (delta vs Companion's "Jac. /")*
- L2]** ⟨B⟩rooke vers Oldfield⟨—⟩ **NAMES FIRM (3 render classes);** horizontal filler-rule after (NOT a virgule; delta vs Companion's "/")
- L3]** ⟨J⟩t was ordered the plt having plead^z *plt: p-initial FIRM, bare-lean (⟨plt|plts⟩ disclosed); "ordered" FULL; ≠ split*
- L4]** ed not guilty cann⟨ot⟩ afterwards plead *cannot-lean ×3; crossbar sweep (habit class)*
- L5]** the pardon notwithstanding y^e ⟨A⟩nfwere *y^e FIRM-track (3 render classes); pardon #1 FULL; Anfwere #1 (Companion's [?]) resolves*
- L6]** was infufficient ⟨A⟩nd the defts ordred *defts d-initial FIRM-lean (the instances differ on the leaf); ordred syncopated-lean*
- L7]** to make a newe ⟨A⟩nfwere ⟨J⟩t being *newe +e; Anfwere #2; tall-J*

- L8]** the generall opinion o⟨f⟩ the ⟨C⟩ourt // ✓; Court full + crossbar; *[[blot]]*
- L9]** that not guilty being once pleaded *verbatim*
- L10]** a p⟨ar⟩don may not bee pleaded/ *p⟨ar⟩don abbreviated (pair with L5's full — Companion tracked both ✓); bare terminal virgule*

STRUCTURE FIRM: header / case-name / ONE 8-line entry ¶, virgule-closed; remainder of side **BLANK-PROVEN** (y ≈1700–3543 both halves). **VERSO** geometry: no quire numeral; no marginalia.

DELTA LOG — F. 83v (4-PART; BASELINES NOT IDENTICAL HERE — COMPANION FULL ENTRY VS NOTES HEADER-ONLY + ROUND-2 "PLTS[?]" FLAG)

PART 1 — SUBSTANCE-CLASS (user-surfaced):

- **THE PARTY TOKENS (q-83v-a) — THE LEAF DISTINGUISHES THEM: #1 plt (p-initial FIRM ×3+, bar-abbreviated, bare-lean) · #2 defts (d-initial FIRM-lean ×3, f-crossbar + terminal-s).** The Companion's uniform "defts ×2" is REFUTED on #1 and CONFIRMED on #2; the Notes' "plts[?]" flag is VINDICATED on the initial class of #1 (p, not d) though the terminal-s is unproven (bare plt leans singular). *[[Sense-tension logged as apparatus; evidence layer stays as written.]]*
- **cann⟨ot⟩ (q-83v-b):** cannot-lean ×3 — Companion's "[cannot?]" corroborated-lean (final t + sweeping crossbar; merge zone dense — lean, not FIRM).

PART 2 — FORM DELTAS vs the Companion (leaf ≠ print):

- **y^e L5 — FIRM-track (3 render classes) vs Companion's "the" — SECOND thorn-form of the campaign** (with 83r.20 FIRM); the atlas y^e row now has two instances across two sides.
- **Jt ×2 (L3, L7) vs Companion's "It" — tall-J form class** (as 83r.22).
- **ordred L6 syncopated vs Companion's "ordered" — with L3's FULL "ordered": same-side instance-variation pair #2,** mirroring 83r's L5/L22 pair; the Companion flattened both.
- **pleadz / ed L3–L4 split — Companion prints unsplit "pleaded".**
- **notwithstanding, infufficient, Anfwere ×2, guilty — long-f forms** (register, not deltas); "vers" abbreviation with s-curl.

PART 3 — RESOLUTIONS OF BASELINE APPARATUS:

- **Anfwere ×2 — Companion's "[Answere?][?]" flag RESOLVES CONFIRMED** (display-A + n-f-w-e-r-e, both instances, sealed at eB).
- **THE PARDON-PAIR — Companion accuracy CONVERGENCE: #1 FULL "pardon" (L5), #2 ABBREVIATED p⟨ar⟩don (L10) — the Companion tracked BOTH correctly** (full print + bracketed "p[ar]don") — contrast its 83r flattenings.
- **Trinitatis 5° Jac. header — q-83v-d CLOSES:** catchword completion from 83r's foot FIRM; catchword system 6/6; regnal coherence (Trinity 5 Jac. = June 1607) consistent with the c4 external-record work.
- **NAMES Brooke vers Oldfield — FIRM, match both baselines** (3 render classes; no variance → no arbitration needed).

PART 4 — NEW APPARATUS (printed by neither baseline):

- **NO virgule after "Jac." (L1) and NO virgule after "Oldfield" (L2)** — both Companion "/"s are its own separators, not leaf graphs; after "Oldfield" the leaf instead carries a **horizontal FILLER-RULE** (case-heading filler, ink class).
- **Long-crossbar habit instance** over L4 ("cannot"→"afterwards" sweep) — joins the 83r Court/Cancelled habit row.
- **Blank-verification:** ~52% of the side proven ink-free; reversed show-through of 83r mapped (mirror-position coherence check ✓). *[[Defects: blot on L8 "generall"; creases R-b5/R-b6.]]*

LEDGER + ATLAS ROWS (F83v CONTRIBUTIONS)

Atlas rows fed: y^e #2 (cross-side row) · tall-J "Jt" ×2 · plt/defts role-token pair (bar-abbreviation class) · p(ar)don hook-expansion · ordered/ordred pair #2 · long-crossbar habit (L4) · display-B/O name initials · 5^o superscript ordinal · horizontal filler-rule (case-heading apparatus) · s split (plead^s). **Ledger:** f83v sweep complete — 16 nat + 2 eB + 1 legacy native (crop_T) read; coverage + fixity at header; NAMES sealed (no variance → no arbitration); party-token asymmetry (plt/defts) = the side's headline finding, user-surfaced in PART 1; report boundary SEALED: *Floyd* ends at 83r, 83v opens Trinity term with one *Brooke v. Oldfield* entry and nothing else.

AUDIT ADDENDUM — #25 (2026-07-09; FULL RECORD IN ` \_WORKING\_MS149\_P4C\_AUDIT.MD`, TILES `CROPS/HLS\_P4\_AUDIT/`)

Census/delta entries above preserved as written at #24 close; these #25 verdicts supersede where stated.

1. **UPGRADE** — **L3 party token = bare plt ✓ ((plt|plts) CLOSES):** at 3× eB the post-t stroke is an open sweeping descender-flourish, NO terminal-s bowl (contrast "defts"/"vers" bowls). The PART 1 asymmetry finding (#1 plt vs #2 defts) is now audit-sealed at both ends — remains user-surfaced.
2. **UPGRADE** — **L4 cannot ✓ (bracket <ot> closes, was lean ×3):** o-bowl + t whose crossbar launches the long rightward sweep (habit class); a d back-loop cannot launch that bar. Companion's "[cannot?]" fully corroborated.
3. **UPGRADE** — **L6 ordred ✓ (mid-e dual closes):** direct hairline d→r, no e-bowl (6 graphs); instance-variation pair #2 (L3 ordered / L6 ordred) FIRM. Same window: defts re-confirmed at 3×.
4. **NEW APPARATUS (audit find)** — **opening C-ARC left of the L3 entry opening:** large single arc, text-ink tone at nat (crisp pen edges, not show-through), survives eB — paren-class entry-marking mark, same function-family as 83r's margin (order tie-curve, here unworded, marking the *Brooke v. Oldfield* entry. Missed by the #24 band blocks (audit-class catch). Grade ✓ (nat+eB; #24 L_b2/L_b3 band tiles available for re-sight).
5. **NEW (condition, non-textual):** dark teardrop blot interline L2–L3 right-of-center · feathered blot right of L8 after "Court" (joins the L8 *[[blot]]* note). No letterforms under either at eB.
6. **CONFIRM (re-sights at 3×):** header Jac. point · NO virgule after "Oldfield" + filler-rule · "Brooke vers" · Anfwere #2 · L8 "of the Court" f-crossbar + full "Court".

- 7. EDGE SCREEN (\$5.7):** f83v all four edges + corners BLANK (debris specks only). With the #24 blank-zone verification below L10, the side's ink inventory is complete and closed.